L Number	Hits	Search Text	DB	Time stamp
- Namber	61		USPAT;	2004/08/25 09:51
_	. 61	messag\$4)) and @ad<20010530	'	2004/08/25 09:51
			US-PGPUB	
~	9	(709/204.ccls. and ("IM" or (instant adj2	USPAT;	2004/08/25 09:13
		messag\$4)) and @ad<20010530) and ((word or	US-PGPUB	
		phrase or text or message or type) NEAR5		
		extract\$3)		
_	3	709/204.ccls. and (("IM" or (instant adj2	USPAT;	2004/08/25 09:18
	_	messag\$4)) NEAR8 (phone or pager or TV or	US-PGPUB	2001, 00, 20 05.20
		PDA)) and @ad<20010530	05 10105	
	_			0001/00/05 00 50
-	. 5		USPAT;	2004/08/25 09:51
		messag\$4)) SAME ((phrase or word or text)	US-PGPUB	
		NEAR4 (typ\$3 or input\$4))) and @ad<20010530		
-	47	(709/204.ccls. and ("IM" or (instant adj2	USPAT;	2004/08/25 09:20
		messag\$4)) and @ad<20010530) NOT	US-PGPUB	, .
		(((709/204.ccls. and ("IM" or (instant adj2		
		messag\$4)) and @ad<20010530) and ((word or		
		phrase or text or message or type) NEAR5		
		extract\$3)) or (709/204.ccls. and (("IM" or	!	
į		(instant adj2 messag\$4)) NEAR8 (phone or		
		pager or TV or PDA)) and @ad<20010530) or	1	
		(709/204.ccls. and (("IM" or (instant adj2		
		messag\$4)) SAME ((phrase or word or text)	1	
		NEAR4 (typ\$3 or input\$4))) and	1	
			1	
	_	(@ad<20010530))		0001/00/55 55 55
-	0	6754904.URPN.	USPAT	2004/08/25 09:27
-	30	("5589892" "5694163" "5764916"	USPAT	2004/08/25 09:27
		"5774664" "5790793" "5793365"		
		"5828839" "5920692" "5961603"		
		"5969748" "5990887" "5990927"		
		"5999970" "6002394" "6018768"		
		!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!		
		"6025837" "6049823" "6081830"		
		"6163316" "6172677" "6205485"	,	
		"6212548" "6339842" "6341306"		i
		"6360254" "6392664" "6425012"		
		"6442590" "6519771" "6525747"		
i i		"2001/0011293" "2002/0010742"		
		"2002/0073154" "2002/0174234").PN.		
	_		HODE	2024/22/25 22 22
-	3		USPAT	2004/08/25 09:28
-	10	1	USPAT	2004/08/25 09:29
		"6400381" "6427918" "6430409"		
		"6430574" "6519771" "6538665"		
		"6590594").PN.		
_	0	6727916.URPN.	USPAT	2004/08/25 09:32
_	81		USPAT;	2004/08/25 09:51
	01	messag\$4)) and @ad<20010530	US-PGPUB	2001, 00, 25 05.51
1				2004/08/25 22 53
-	69		USPAT;	2004/08/25 09:51
		messag\$4)) and @ad<20010530) NOT	US-PGPUB	
		(709/204.ccls. and ("IM" or (instant adj2		
		messag\$4)) and @ad<20010530)		
-	0	20020010745.URPN.	USPAT	2004/08/25 10:08
_	11		USPAT	2004/08/25 10:12
	**	"6324569" "6377944" "6405035"		=====================================
		"6430604" "6463142").PN.		
-	8		USPAT	2004/08/25 10:16
		"6023510" "6260041" "6289390"		
		"6301609" "6332141").PN.		1
_	6	6430602.URPN.	USPAT	2004/08/25 10:17
_	6	6430602.URPN.	USPAT	2004/08/25 10:17
_	_			2004/00/25 10:19
-	57	1	USPAT;	2004/08/25 13:27
		messag\$4))) NEAR6 (language) and	US-PGPUB	
	•	@ad<20010530]	
-	34	(IM or (instant adj2 (messenger or	USPAT;	2004/08/25 13:27
		messag\$4))) SAME ((pars\$3 or extract\$3)	US-PGPUB;	
		NEAR5 (phrase or text or word or sentence or	EPO; JPO;	1
		typ\$3)) and @ad<20010530	DERWENT;	1
		cypys,, and wadezoorosso	•	
Li	L	I	IBM_TDB	l



-	591	(IM or (instant adj2 (messenger or messag\$4))) AND ((pars\$3 or extract\$3) NEAR5 (phrase or text or word or sentence or	USPAT; US-PGPUB; EPO; JPO;	2004/08/25 10:55
		typ\$3)) and @ad<20010530	DERWENT; IBM_TDB	
-	557	((IM or (instant adj2 (messenger or messag\$4))) AND ((pars\$3 or extract\$3) NEAR5 (phrase or text or word or sentence or typ\$3)) and @ad<20010530) NOT ((IM or (instant adj2 (messenger or messag\$4))) SAME ((pars\$3 or extract\$3) NEAR5 (phrase or text or word or sentence or typ\$3)) and @ad<20010530)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 10:55
~	0	(IM or (instant adj2 (messenger or messag\$4))) SAME ((without or "no") adj3 keyboard) and @ad<20010530	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/25 13:37
_	116	(IM or (instant adj2 (messenger or messag\$4))) AND ((without or "no") NEAR6 keyboard) and @ad<20010530	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/25 11:09
-	125	(IM or (instant adj2 (messenger or messag\$4))) NEAR6 (phone or pager) and @ad<20010530	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/25 13:38
	77	(IM or (instant adj2 (messenger or messag\$4))) SAME ((suggest\$4 or display\$3 or provid\$4 or select\$4) NEAR4 (response or reply)) and @ad<20010530	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 13:43
	37	(IM or (instant adj2 (messenger or messag\$4))) SAME ((option\$2 or general\$4 or common) NEAR6 (respons\$2 or reply\$3 or word or text or phrase)) and @ad<20010530	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 11:48
-	84	(IM or (instant adj2 (messenger or messag\$4)) or chat\$4) SAME ((option\$2 or general\$4 or common) NEAR6 (respons\$2 or reply\$3 or word or text or phrase)) and @ad<20010530	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/25 11:48
-	84	("IM" or (instant adj2 (messenger or messag\$4)) or chat\$4) SAME ((option\$2 or general\$4 or common) NEAR6 (respons\$2 or reply\$3 or word or text or phrase)) and @ad<20010530	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/25 13:45
-	0	20010006889.URPN. ("5880731" "6285916" "6346952" "6400381" "6427918" "6430409" "6430574" "6519771" "6538665" "6590594").PN.	USPAT USPAT	2004/08/25 11:52 2004/08/25 11:54
-	0 45	6727916.URPN. (chat\$4) NEAR6 (language) and @ad<20010530	USPAT USPAT;	2004/08/25 11:54 2004/08/25 12:51
-	29	(chat\$4) SAME ((pars\$3 or extract\$3) NEAR5 (phrase or text or word or sentence or typ\$3)) and @ad<20010530	US-PGPUB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/25 13:28
-	0 15	6678673.URPN. ("5704060" "5793365" "5799268" "5802493" "5864848" "5978799" "6061738" "6078917" "6085201" "6148289" "6182065" "6278993" "6282548" "6292802" "6430602").PN.	USPAT USPAT	2004/08/25 13:33 2004/08/25 13:34
-	3	(chat\$4) SAME ((without or "no") adj3 keyboard) and @ad<20010530	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 13:37

_	116	(chat\$4) NEAR6 (phone or pager) and @ad<20010530	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/25 13:39
			IBM TDB	
	101	((chat\$4) NEAR6 (phone or pager) and @ad<20010530) NOT ((IM or (instant adj2 (messenger or messag\$4))) NEAR6 (phone or pager) and @ad<20010530)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/25 13:39
	94		IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/08/25 13:43
-	63	(text NEAR4 (typ\$3 or input\$4)) NEAR6 (((cell\$4 or mobile) adj2 phone) or PDA or pager) and @ad<20010530	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/08/25 13:57
			DERWENT; IBM_TDB	
-	12	("5239617" "5255386" "5485544" "5694558" "5748974" "5983200" "5999904" "6035275" "6044347" "6073102" "6108640" "6308157").PN.	USPAT	2004/08/25 13:52
-	0	6622119.URPN.	USPAT	2004/08/25 13:53
_	39	predict\$3 NEAR6 (text NEAR4 (typ\$3 or input\$4)) and @ad<20010530	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/25 13:58
_	10	("5880731" "6285916" "6346952" "6400381" "6427918" "6430409" "6430574" "6519771" "6538665" "6590594").PN.	IBM_TDB USPAT	2004/08/25 14:00
	0	6727916.URPN.	USPAT	2004/08/25 14:00
_	10		USPAT	2004/08/25 14:00
_	42		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/25 14:08
-	4	345/864.ccls. and @ad<20010530 and (IM or (instant adj2 messag\$3) or chat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/25 14:09
-	6	predict\$4 NEAR6 (reply or response or input\$4) NEAR8 (IM or (instant adj2 mess\$7) or chat\$4) and @ad<20010530	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/25 14:10
-	3	(IM or (instant adj2 mess\$7) or chat\$4) and @ad<20010530 and yahoo.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/25 14:11
_	390	((IM or (instant adj2 mess\$7) or chat\$4) NEAR6 (status or away or busy or sleep\$3)) and @ad<20010530	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/25 14:12
_	67	(IM or (instant adj2 mess\$7) or chat\$4) SAME ((chang\$4 or modify\$4) NEAR6 (status or away or busy or sleep\$3)) and @ad<20010530	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/25 14:37
_	0	(hid\$3 or mask\$3 or invisible or away) NEAR5 ((on adj2 line) NEAR4 (status or buddy)) and @ad<20010530	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/08/25 14:38
			DERWENT; IBM_TDB	

_	20882	(hid\$3 or mask\$3 or invisible or away) NEAR5 (buddy or user) and @ad<20010530	USPAT; US-PGPUB;	2004/08/25 14:38
			EPO; JPO; DERWENT; IBM TDB	
-	40	(hid\$3 or mask\$3 or invisible or away) NEAR5 (buddy or user) SAME (IM or (instant adj2 mess\$7) or chat\$4) and @ad<20010530	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/25 14:57
-	10	("5063523" "5828839" "5943478" "5990887" "6055570" "6148328" "6260148" "6301609" "6339784" "6366962").PN.	USPAT	2004/08/25 14:43
-	29		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 15:05
_	60	(chang\$3 or modify\$4) NEAR5 (status or away or ((off or on) adj2 line) or busy) SAME (IM or (instant adj2 mess\$7) or chat\$4) and @ad<20010530	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 15:06
-	84	(IM or (instant adj2 mess\$7) or chat\$4) NEAR5 (television or TV or (set adj2 top adj2 box)) and @ad<20010530	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 15:07
-	8	("5493692" "5634005" "5793365" "5802253" "5987503" "6128646" "6278996" "6353827").PN.	USPAT	2004/08/25 15:09
_	2	6584494.URPN.	USPAT	2004/08/25 15:09
_	3	6519771.URPN.	USPAT	2004/08/31 10:19
-	0	6754904.URPN.	USPAT	2004/08/31 10:19
_	0	6727916.URPN.	USPAT	2004/08/31 10:19
-	4	"6256663").PN.	USPAT	2004/08/31 10:19
_	17	messag\$4))) and @ad<20010530	USPAT; US-PGPUB	2004/08/31 14:11
-	0	(chat or "IM" or (instant adj2 messag\$4)) NEAR6 (icon NEAR5 (off adj2 line)) and @ad<20010530	USPAT; US-PGPUB	2004/08/31 14:12
-	0	(chat or "IM" or (instant adj2 messag\$4)) SAME (icon NEAR5 (off adj2 line)) and @ad<20010530	USPAT; US-PGPUB	2004/08/31 14:12
_	3		USPAT; US-PGPUB	2004/08/31 14:16
-	16		USPAT; US-PGPUB	2004/08/31 14:15
-	525		USPAT; US-PGPUB	2004/08/31 14:16
-	1	(chat or "IM" or (instant adj2 messag\$4)) SAME ((graphic or image) NEAR5 (off adj2 line)) and @ad<20010530	USPAT; US-PGPUB	2004/08/31 14:16
~	5	(chat or "IM" or (instant adj2 messag\$4)) AND ((graphic or image) NEAR5 (off adj2	USPAT; US-PGPUB	2004/08/31 14:16
-	10	line)) and @ad<20010530 ("5063523" "5828839" "5943478" "5990887" "6055570" "6148328"	USPAT	2004/08/31 15:36
		"6260148" "6301609" "6339784" "6366962").PN.		